COVID-19 Prevention and Control Strategies for Institutions of Higher Education (IHE)

JUNE 11, 2020



IHE ECHO Series

- 1. May 28 COVID Overview
- 2. June 4 Prevention Strategies on Campus
- 3. June 11 Case and outbreak management
- 4. June 25 Equity, COVID and Campus

Case Finding and Contact Tracing

- Early identification of new cases is critical
- Mask anyone with symptoms
- Rapid access to care
- Role of telehealth
- Access to testing
- Medical provider will contact LPH of suspected case
- Public health leads contact tracing effort

Isolation & Quarantine

- ▶ **Isolation** separates sick people with a contagious disease from people who are not sick
 - ▶ Ends for COVID-19 when:
 - ▶ 3 days with no fever and
 - ▶ Symptoms improved and
 - ▶ 10 days since symptoms first appeared
- Quarantine separates and restricts the movement of people who were exposed to a contagious disease to see if they become sick
 - ► Ends for COVID-19 after longest possible incubation time = 14 days

Outbreak Management

- Relationship with local Health Department
- ▶ Plan for contact tracing, isolation and quarantine
- Supporting physical and emotional needs of those in isolation and quarantine
- Support for other student, faculty and staff concerns
- Communication

Case Discussions